



## Inspection Report

C J'S Great Cats World Park  
Inc.  
Box 1062  
Cave Junction, OR 97523

Customer ID: **43084**

Certificate: **92-C-0144**

Site: 001

CJ'S GREAT CATS WORLD PARK, INC.

Type: ROUTINE INSPECTION

Date: May-06-2013

### 3.125 (a)

#### FACILITIES, GENERAL.

(a) structural strength, the facility must be constructed of such material and of such strength as appropriate for the animals involved. the indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

The back wall of the enclosure housing Zena the tiger has a large hole (about basketball size) where the wall meets the top.

This hole is the result of the tiger gnawing and clawing at the plywood wall. This hole in the plywood has exposed the outer sheet metal panels and thus results in a potential weak spot in the enclosure. This could result in the tiger breaking through the weak sheet metal and gaining access into the outside enclosure while someone is cleaning that area. This hole needs to be repaired and a regular program of review and maintenance needs to be started and maintained.

Correct by: May-17-2013

### 3.131 (a)

#### SANITATION.

(a) Cleaning of enclosures. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors. When enclosures are cleaned by hosing or flushing, adequate measures shall be taken to protect the animals confined in such enclosures from being directly sprayed with the stream of water or wetted involuntarily.

The enclosure housing the Geoffroy's cats has a build up of urine and debris on the wooden walls of the enclosure. This build up can potentially harbor disease causing agents, such as various bacteria. These walls need cleaning and sanitizing in order to eliminate this build up and provide the cats with a clean sanitary enclosure. A program of regular cleaning of these walls needs to be in place and maintained.

Prepared By:

TOM LECROY, A.C.I.

TOM R LECROY, A.C.I.

USDA, APHIS, Animal Care

Date:

Title:

ANIMAL CARE INSPECTOR

Inspector 5029

May-09-2013

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

May-09-2013



## Inspection Report

---

Correct by: May-13-2013

An exit interview was conducted with the facility curator at close of inspection.

---

Prepared By:

TOM LECROY, A.C.I.

Title:

TOM R LECROY, A.C.I. USDA, APHIS, Animal Care  
ANIMAL CARE INSPECTOR Inspector 5029

Date:

May-09-2013

Received By:

(b)(6),(b)(7)(c)

Date:

May-09-2013